

Millikin University
Student Learning in Quantitative Reasoning

Prepared by
Joe Stickles, Associate Professor of Mathematics

August 15, 2009

Executive Summary: Quantitative Reasoning (QR) is a non-sequential requirement in the MPSL. All Millikin students are required to fulfill this by taking a designated QR course. A goal of this program is that through quality advising, students take a QR course that fits the needs of the student's academic area. Here we report on the first full year of data collection and analysis for purposes of assessment. We find that QR courses in the traditional program are meeting our goals at the green level.

Goals

A student who successfully completes a Millikin QR course will demonstrate the ability to:

- (1) use deductive reasoning in a formal, symbolic, axiomatic system, and
- (2) apply the theorems of the system to solve appropriate problems.

The learning goals of the quantitative reasoning requirement are part of broader aims of this requirement. Through this requirement Millikin hopes to:

- (a) To offer the basic quantitative reasoning skills necessary for success in every profession. All work involves understanding the basics of numerical, statistical, or logical analysis. This type of thinking is fundamental to understanding the world and no career is exempt from this way of knowing.
- (b) To prepare students to be competent citizens by developing the quantitative skills necessary to understand fundamental reasoning that involves numbers, statistics, or logical reasoning. Citizens must be able to understand e.g., graphs, detect faulty statistical analysis, or spot basic flaws in reasoning. These courses serve democracy by developing such skills.

Clearly these two goals support the first two university-wide goals:

University Goal 1: Millikin students will prepare for professional success.

University Goal 2: Millikin students will actively engage in the responsibilities of citizenship in their communities.

Each career has specific requirements in regard to deductive reasoning. A psychologist may work on a daily basis with statistical analysis on her experimental data, while a lawyer might need to spot an *ad hominem* fallacy in an oral argument. A manager will need to understand what the accountant means, while an artist might need to prepare a usable table to demonstrate the efficiency of their program in a grant request. All of these are examples of quantitative reasoning. The broad range of careers benefits from the range of courses offered that teach quantitative skills. Many humanities, arts, and pre-law students take logic. Business and nursing require math courses. Social scientists need statistics. Careful advising that includes career goals helps students select the quantitative course that best supports their individual aim, while all of these courses prepare students for success in their profession.

In addition to helping students flourish in their job, quantitative reasoning is basic to good citizenship. To be a fully functioning citizen in this country, you must be able to understanding the news and ask appropriate questions. Those tasks require quantitative reasoning. One cannot pick up a newspaper without finding statistics about the amount of oil produced in Iraq, the population growth, the rate of immigration, and so on. Unless you can understand the basics of these figures, charts, graphs, and the reasoning they are based on, you cannot sort out the bogus from the noteworthy. At its most basic, this requirement aims to produce students who can become these kind of citizens.

The learning goals are simple: learn to use deducting reasoning and be able to apply it appropriately. The larger goals are less concrete: to give students the quantitative skills they need to succeed as a citizen and on the job.

Snapshot

Faculty

The faculty who taught the QR courses for Fall 2008 and Spring 2009 are listed in Tables 1 and 2. All traditional courses were taught by full-time faculty with PhD's except Carol Sudduth. Note that Beesley, Djafarmoshgi, Larson, and Moulton only taught courses for our PACE program.

Facilities

None of the courses require facilities beyond classrooms. Most require technology rooms with computers and projectors.

Types and number of students served

All students are required to complete a QR course.

Number and types of courses taught

Select courses in Mathematics, Philosophy, and Behavioral Sciences meet the QR requirement. The number and types of courses taught are detailed in Table 1. All of these courses were chosen because they fulfill the requirement of manipulation of symbols according to rigorous inference rules or algorithms.

Course Number	Title	Faculty
MA112	Mathematical Content for Elementary School Teachers	Marjorie Larson Paula Stickles
MA117	Finite Mathematics	Bradley Beesley
MA120	Elementary Probability and Statistics	Randal Beck Eun-Joo Lee
MA125	Mathematics and the World	Randal Beck James Rauff Joe Stickles Paula Stickles Carol Sudduth
MA140	Calculus I	Joe Stickles
PH213	Critical Thinking: Logic	Jo Ellen Jacobs
PS201/SO201	Statistical Methods in the Behavioral Sciences	Linda Collinsworth Linda Moulton
IN207	Honors Seminar in Mathematics	James Rauff

Table 1. Fall 2008 Courses meeting the QR requirement

Course Number	Title	Faculty
MA112	Mathematical Content for Elementary School Teachers	Paula Stickles Marjorie Larson
MA114	Functions	Ralph Czerwinski
MA117	Finite Mathematics	Ali R. Djafarmoshgi
MA120	Elementary Probability and Statistics	Eun-Joo Lee
MA125	Mathematics and the World	Randal Beck Ralph Czerwinski Joe Stickles Carol Sudduth
MA140	Calculus I	Paula Stickles
MA208	Discrete Mathematics	Michael Rogers
PH213	Critical Thinking: Logic	Jo Ellen Jacobs
PS201/SO201	Statistical Methods in the Behavioral Sciences	Linda Collinsworth
IN207	Honors Seminar in Mathematics	James Rauff

Table 2. Spring 2009 Courses meeting the QR requirement

Programs

The QR courses serve all programs of the university. Some programs have designated courses to meet the requirement. Majors in the Behavioral Sciences (Human Services, Sociology, Psychology) and Nursing meet the requirement with PS021/SO201. Majors in Philosophy meet the requirement with PH213. Tabor School of Business students meet the requirement with MA120. Many Natural Science and Mathematics majors meet the requirement with either MA114 or MA140, while many Early Childhood and Elementary Education majors meet the requirement with either MA112 or MA125.

Partnerships

There are no external partnerships involving the Quantitative Reasoning requirement.

The Learning Story

Most of Millikin's programs of study have particular QR needs. The QR course provides the kinds of experiences in symbolic, deductive reasoning required for professional success in these areas. Examples of

QR topics in action include statistics in nursing, business and the behavioral sciences, calculus in the natural and physical sciences, and logic in the humanities. In addition, students of the arts gain experiences in symbolic, deductive reasoning that will enhance their ability to grow as educated democratic citizens (e.g., financial mathematics, voting models, and resource analysis).

The particular nature of the experience varies from student to student according to their educational, professional, and personal goals. Not every student needs to learn calculus or statistics or symbolic logic. Nevertheless, every Millikin student will have an experience that challenges him or her to apply rigorous deductive reasoning. The QR requirement provides this experience in the context of the student's major field or in the context of the student's participation in a democratic society.

The QR requirement is seen in action when a biology student successfully applies the integral and differential calculus in modeling the growth of a population of field mice, when a business student successfully argues for the marketability of a new product based upon a sound statistical analysis of a survey, when a pre-law student successfully answers a LSAT question involving syllogisms, or when a musical theatre major successfully obtains a loan for a new car after knowledgeably negotiating rates and terms.

Assessment Methods.

The QR goal is a meta-goal encompassing a wide variety of fields and techniques that falls under the broad heading of formal, symbolic axiomatic systems. Hence, the assessment method is equally wide and encompassing. The key to success is the content of the QR courses. Does the course provide the student with experiences in symbolic deductive reasoning?

Two Program Review Processes

- (1) Syllabi review. Usually, a quick examination of the syllabus is sufficient.
- (2) Review what QR courses are being offered that academic year, which ones students are taking, and whether or not the courses they are taking are the best for their majors. These reviews will be used to help advisors understand the connections between QR courses and their areas.

One Assessment of Student Performance

Samples of final exams will be evaluated, rating how well students demonstrate the ability to use deductive reasoning in a formal, symbolic, axiomatic system, and to apply the theorems of the system to solve appropriate problems.

Assessment Data

The following data were collected by the QR coordinator.

- (1) Syllabi for all traditional QR courses and some PACE courses.
- (2) The QR coordinator received data from the registrar about QR course offerings and traditional student enrollment trends (which courses are students taking from various disciplines) for the academic year 2008-2009. These data are presented in Table 3. In this table, the column headings are to be understood as follows:

Bus - all majors in the Tabor School of Business

Ed. - all majors in the School of Education

Sci. - all majors in the NSM Division of CAS

Nur. - all majors in the School of Nursing

Art. - all majors in the College of Fine Arts

Beh. - all majors in the Behavioral Science Division of CAS

Course	Art.	Sci.	Bus.	Nur.	Beh.	Ed.	Other	Total
MA112	0	0	1	0	2	21	2	26
MA114	0	8	4	0	0	2	5	19
MA120	2	10	74	12	0	1	36	135
MA125	5	2	7	1	6	49	164	234
MA140	0	36	1	0	0	4	15	56
PH213	0	0	2	0	2	0	18	22
PS201	1	14	0	22	27	0	24	88
SO201	1	2	0	0	13	2	7	25
Totals	9	72	89	35	50	79	271	605

Table 3. Enrollment Trends 2008-2009 (Traditional Program)

- (3) Sample problems were taken from final exams for almost all traditional QR courses and some PACE courses. Instructors of these courses were asked to identify one problem on their exam that could be used to assess the deductive reasoning learning goal and to identify one problem on their exam that could be used to assess the theorem application goal. The instructors then randomly selected five students' final exams and assessed

each student's work according to the assessment rubric the Quantitative Reasoning Task Force developed (see appendix). The assessments are summarized in the tables below.

Fall 2008			
Course	Good	Average	Poor
MA112 01	2	2	1
MA112 01 PACE	0	5	0
MA117 01 PACE	NO DATA		
MA120 02	3	1	1
MA120 03	3	2	0
MA120 04	4	1	0
MA125 01	3	1	1
MA125 02	5	0	0
MA125 03	4	1	0
MA125 04	4	0	1
MA125 05	NO DATA		
MA125 01 PACE	4	1	0
MA140 01	5	0	0
MA140 02	3	0	2
PH213 01	5	0	0
PS201 01	4	0	1
PS201 02	5	0	0
PS201 01 PACE	NO DATA		
IN207 01	4	1	0
Totals	58 72.5%	15 18.75%	7 8.75%

Table 4. Deductive Reasoning Fall 2008

Spring 2009			
Course	Good	Average	Poor
MA112 01	4	1	0
MA112 01 PACE	2	2	1
MA112 02 PACE	NO DATA		
MA114 01*	2.3	2	0.7
MA117 01 PACE	NO DATA		
MA120 02	1	3	1
MA120 05	3	2	0
MA125 01*	1.9	0.5	2.6
MA125 03*	1.5	0.4	3.1
MA125 04	3	1	1
MA125 05	NO DATA		
MA125 06	5	0	0
MA140 01	3	2	0
MA208 01	NO DATA		
PH213 01	5	0	0
PS201 01/02	5	0	0
IN207 01	3	1	0
IN207 02	3	1	0
Totals	42.7 ≈ 62.794%	15.9 ≈ 23.382%	9.4 ≈ 13.824%

Table 5. Deductive Reasoning Spring 2009

* Instructor evaluated entire class rather than a random sample of five. So, the raw totals are scaled to be out of five.

Fall 2008			
Course	Good	Average	Poor
MA112 01	4	1	0
MA112 01 PACE	1	4	0
MA117 01 PACE	NO DATA		
MA120 02	1	4	0
MA120 03	2	2	1
MA120 04	2	2	1
MA125 01	5	0	0
MA125 02	4	1	0
MA125 03	4	0	1
MA125 04	1	2	2
MA125 05	NO DATA		
MA125 01 PACE	5	0	0
MA140 01	5	0	0
MA140 02	2	0	3
PH213 01	2	1	2
PS201 01	2	2	1
PS201 02	3	1	1
PS201 01 PACE	NO DATA		
IN207 01	3	0	0
Totals	46 ≈ 58.974%	20 ≈ 25.641%	12 ≈ 15.384%

Table 6. Theorem Application Fall 2008

Spring 2009			
Course	Good	Average	Poor
MA112 01	3	2	0
MA112 01 PACE	3	2	0
MA112 02 PACE	NO DATA		
MA114 01*	2.3	1	1.7
MA117 01 PACE	NO DATA		
MA120 02	3	1	1
MA120 05	2	1	2
MA125 01*	1.9	0.5	2.6
MA125 03*	1.9	1.5	1.5
MA125 04	4	0	1
MA125 05	NO DATA		
MA125 06	4	1	0
MA140 01	0	2	3
MA208 01	NO DATA		
PH213 01	5	0	0
PS201 01/02	5	0	0
IN207 01	4	0	0
IN207 02	4	0	0
Totals	43.1 ≈ 64.425%	11 ≈ 16.442%	12.8 ≈ 19.133%

Table 7. Theorem Application Spring 2009

* Instructor evaluated entire class rather than a random sample of five. So, the raw totals are scaled to be out of five.

After piloting the QR rubric in Spring 2007, we found that all instructors provided the necessary data without asking a single question about the selection process or about the rubric. This has continued for the four semesters of data collection done for 2007-08 and 2008-09. Therefore, we conclude that the QR assessment instrument is easy to implement and will not make any changes to the procedure for 2009-10. We will continue to evaluate the data collection process as we move forward with the assessments in future years.

Analysis of Assessment Results

1. The review of the syllabi for all QR courses revealed that almost all of the QR syllabi that were given to the QR director from 2008-09 explicitly stated the QR learning goals and all of them included topics that directly reflected these goals.

2. The student enrollment data (Table 3) reveal the following.
- (a) 80.77% of the students in MA112 were education majors. The course was specifically created for these majors.
 - (b) 58.7% of the students in MA114 and MA140, collectively, were science and mathematics majors. These courses are designed for these majors.
 - (c) 54.8% of the students in MA120 were business majors.
 - (d) 20.9% of the students in MA125 were education majors. This is not surprising as early childhood and elementary education majors are required to take two mathematics courses above MA106, and many of them opt to take MA125 as one of these courses. This course also had wide appeal. The course was created to provide QR skills to non-science and non-business majors. This is reflected in the large number of students listed in the “other” category.
 - (e) 97.1% of nursing majors chose a statistics course. 64.7% of these chose SO/PS 201 over MA120.
 - (f) 24.7% of students majoring in areas that we’ve grouped under “Other” chose a statistics course. This is down from 38.2% from 2007-2008 academic year.

Overall, it appears that students are taking the appropriate QR course.

3. The evaluation of random samples of completed final exams concluded the following status of student performance with respect to the QR student learning outcomes.

- (1) use deductive reasoning in a formal, symbolic, axiomatic system.

Over 91% for Fall 2008 and over 86% for Spring 2009 of the assessed student completed finals were rated good or average by the instructors.

- (2) apply the theorems of the system to solve appropriate problems.

Nearly 85% for Fall 2008 and nearly 81% for Spring 2009 of the assessed student completed finals were rated good or average by the instructors. The majority were rated good in both semesters.

Improvement Plans

We are pleased that the data indicate that the QR goals are being met. Nevertheless, we see room for improvement in several areas.

- (1) Almost all QR syllabi contain the QR learning goals explicitly. While this is very impressive, our long-term goal is to have 100% of QR syllabi include the explicit QR learning goals. To help achieve this goal, before each semester begins, the QR coordinator sends an email to QR instructors reminding them to include the goals in their syllabi. (The goals themselves are included in these emails.)
- (2) We are continuing to make strides in advising students to take major-appropriate QR courses. As examples, almost all nursing majors took a statistics course, which is very appropriate for their major. A larger percentage of students in the “other” category are taking MA125. MA125 is designed with these majors in mind, and it is encouraging that appropriate advising information is being disseminated to these students. In response to the non-education majors taking MA112, this course will be restricted to only early childhood and elementary education majors in the future. Also, a second semester of mathematics content for elementary teachers has been created and will be offered for the first time in Spring 2010. This course will also be restricted to early childhood and elementary education majors. We are pleased with the trends of students signing up for appropriate QR courses, and we will continue to remind advisors of the options most suitable for their particular advisees.
- (3) The theorem application goal is being met, and the number of “poor” ratings has continued its downward trend from 29% in Spring 2007, to 21.4% for the 2007-08 academic year, to 17.1% for the 2008-09 academic year. This is a pleasing trend, and we want to continue it in the future. We will continue to disseminate this information to QR instructors so that they are aware of the good job they are doing and to continue “staying the course.”
- (4) Collecting information from QR courses taught in the PACE program continues to be a challenge. Of the data collected from PACE courses, the ones we were successful in obtaining were from full-time Millikin employees. If the instructor was not regularly employed by Millikin, we did not receive assessment data. We need to work with the PACE office in order to get vital assessment data from these courses.
- (5) Collecting information from adjunct faculty and faculty who are leaving the university is also continuing to be a challenge. Of the courses without student data, only one of them was taught by a continuing, full-time faculty member. Better communication efforts were attempted by the QR coordinator, but response rates have not increased among adjunct faculty, especially PACE adjunct faculty. The QR coordinator has contacted the PACE director, and together they will forge strategies on how to collect this data more effectively.

Appendix.

Rubric for Assessing Student Achievement of Quantitative Reasoning Learning Outcome Goals

	Good	Average	Poor
Deductive Reasoning	<ul style="list-style-type: none"> • Student uses proper symbolic notation in the context of the stated problem • Student manipulates these symbols according to the rules of the axiomatic system • Student achieves desired directive of the problem with no (or a few minor) errors 	<ul style="list-style-type: none"> • Student work achieves exactly two of the following: <ol style="list-style-type: none"> 1. Student uses proper symbolic notation in the context of the stated problem 2. Student manipulates these symbols according to the rules of the axiomatic system 3. Student achieves desired directive of the problem with no (or a few minor) errors 	<ul style="list-style-type: none"> • Student work achieves no more than one of the following: <ol style="list-style-type: none"> 1. Student uses proper symbolic notation in the context of the stated problem 2. Student manipulates these symbols according to the rules of the axiomatic system 3. Student achieves desired directive of the problem with no (or a few minor) errors
Theorem Application	<ul style="list-style-type: none"> • Student correctly selects theorem(s) necessary to solve stated problem • Student performs all necessary calculations needed to apply theorem with no (or a few minor) errors • Student uses selected theorem(s) to form a correct conclusion on the basis of the computations 	<ul style="list-style-type: none"> • Student correctly selects theorem(s) necessary to solve stated problem • Student's work falls into one of the following two categories: <ol style="list-style-type: none"> 1. Student made major computational errors, but made a correct conclusion based on the computations 2. Student made no (or a few minor) errors in computations, but made an incorrect conclusion made on the computations 	<ul style="list-style-type: none"> • Student work falls into one of the following two categories: <ol style="list-style-type: none"> 1. Student did not correctly select theorem(s) necessary to solve stated problem 2. Student did correctly select theorem(s) necessary to solve, but made major computational errors and made an incorrect conclusion based on the computations

Examples

Deductive Reasoning

MA 120 students are asked to solve the following problem: “On the 2006 SAT Mathematics Exam, the average score was 518 with a standard deviation of 115. Assuming these scores are normally distributed, what percentage of students scored higher than 596 on the 2006 SAT Mathematics Exam?”

This problem requires students to select the z -score formula, substitute the given information into the formula, perform the z -score computation, find the corresponding percentage in a normal distribution table, and manipulate the number from the table to answer the given question correctly.

The selection of the z -score formula and correct substitution into the formula would constitute using proper symbolic notation in the context of the problem because students must extract the necessary information from the problem and replace the unknown quantities in formula with this information. Correctly computing the z -score and finding the correct corresponding percentage in the normal distribution table would constitute manipulating these symbols according to the rules of the axiomatic system. Finally, correctly extracting the percentage from the table to answer the given question shows the student not only can follow the rules of the system, but also can reach a valid conclusion after applying these rules, thereby achieving the desired directive.

Good response: *The z -score for an SAT Mathematics score of 596 is*

$$\begin{aligned} z &= \frac{596 - 518}{115} \\ &= \frac{78}{115} \\ &\approx 0.68 \end{aligned}$$

The percentage corresponding to a z -score of 0.68 in the normal distribution table is 25.17%. This is the percentage that lies between the data point and the mean, or in this case, the percentage of students who scored between 518 and 596. So, the percentage of students who scored higher than 596 on the 2006 SAT Mathematics Exam is $50\% - 25.17\% = 24.83\%$

Average response: *The z -score for an SAT Mathematics score of 596 is*

$$\begin{aligned}
 z &= \frac{596 - 518}{115} \\
 &= \frac{78}{115} \\
 &\approx 0.68
 \end{aligned}$$

The percentage corresponding to a z-score of 0.68 in the normal distribution table is 25.17%. So, the percentage of students who scored higher than 596 on the 2006 SAT Mathematics Exam is 25.17%.

This student response demonstrates the first two traits of a good response, but not the third. The student has correctly used proper symbolic notation in the context of the stated problem by selecting the z-score formula and inserting the numbers into the formula correctly, and manipulated these symbols according to the rules of the axiomatic system by finding the correct z-score and corresponding percentage from the normal distribution table. However, the student has simply used the percentage found in the table as the final answer and thus has not achieved the desired directive of the problem.

Poor response: *The z-score for an SAT Mathematics score of 596 is*

$$\begin{aligned}
 z &= \frac{596 - 518}{115} \\
 &= \frac{78}{115} \\
 &\approx 0.68
 \end{aligned}$$

So, the percentage of students who scored higher than 596 on the 2006 SAT Mathematics Exam is 68%.

This student response demonstrates the first trait of a good response, but not the other two. The student has correctly selected the z-score formula and substitutes the given information correctly. However, the student did not apply the rules of the axiomatic system correctly since the student did not find the corresponding percentage in the normal distribution table. Also, the student did not achieve the desired directive because the student did not apply the rules of the system correctly.

Deductive Reasoning

PH 213 students are asked the following question: “Using a truth table, determine whether the statements $\neg p \vee q$ and $p \rightarrow q$ are equivalent.”

This problem requires students to construct a truth table for each of the statements and determine if the statements have identical final columns in their truth tables.

A student uses proper symbolic notation in the context of the stated problem when the student sets up the truth table correctly by creating the appropriate columns for the statements. When the student fills out the truth table correctly, that student has manipulated these symbols according to the rules of the axiomatic system. Finally, the desired directive is achieved when the student compares the final column of each truth table to determine whether or not the statements are equivalent.

Good response:

The truth table for $\neg p \vee q$ is

p	q	$\neg p$	$\neg p \vee q$
T	T	F	T
T	F	F	F
F	T	T	T
F	F	T	T

The truth table for $p \rightarrow q$ is

p	q	$p \rightarrow q$
T	T	T
T	F	F
F	T	T
F	F	T

Since the last columns of the truth tables are identical, the statements are equivalent.

The student set up the truth tables correctly, including having an extra column in the first table for $\neg p$ to use as an intermediate step. So, this student has used proper symbolic notation for this problem. This student has also correctly filled in the truth tables, demonstrating the ability to use the rules of the axiomatic system in this context. Finally, the student correctly assesses the statements are in fact equivalent by examining the final columns of the truth table, thereby achieving the desired directive of the problem.

Average response:

The truth table for $\neg p \vee q$ is

p	q	$\neg p$	$\neg p \vee q$
T	T	F	F
T	F	F	F
F	T	T	T
F	F	T	F

The truth table for $p \rightarrow q$ is

p	q	$p \rightarrow q$
T	T	T
T	F	F
F	T	T
F	F	T

Since the last columns of the truth tables are not identical, the statements are not equivalent.

The student set up the truth tables correctly, including having an extra column in the first table for $\neg p$ to use as an intermediate step. So, this student has used proper symbolic notation for this problem. This student has not correctly filled in the truth tables; indeed, this student has confused the logical “or” with the logical “and”. So, this student has not followed the rules of the axiomatic system correctly. However, the student does use their information to assess correctly (according to their computations) that the statements are not equivalent by examining the final columns of the truth table, thereby achieving the desired directive of the problem. Since this student work exhibits two of the three criteria of a good response, this response is rated as average.

Poor response:

The truth table for $\neg p \vee q$ is

p	q	$\neg p \vee q$
T	T	T
F	F	F

The truth table for $p \rightarrow q$ is

p	q	$p \rightarrow q$
T	T	T
F	F	T

Since the last columns of the truth tables are not identical, the statements are not equivalent.

The student has not set up the truth tables correctly because the student has eliminated to cases from consideration. So, this student has not used proper symbolic notation for this problem. This student also has not correctly filled in the truth tables, and with the missing rows in the truth tables, it is impossible to determine whether the student has confused the logical “or” with the logical “and”, or if the student just

randomly inserted some symbols. In either case, this student has not followed the rules of the axiomatic system correctly. However, the student does use their information to assess correctly (according to their computations) that the statements are not equivalent by examining the final columns of the truth table, thereby achieving the desired directive of the problem. Since this student work exhibits one of the three criteria of a good response, this response is rated as poor.

Theorem Application

MA 140 students are asked the following question: “For the function $f(x) = x^3 - 6x^2$, find the x -coordinates of the points at which $f(x)$ has relative maxima and relative minima.”

This problem requires students to find the derivative of $f(x)$, denoted $f'(x)$, to solve the equation $f'(x) = 0$ and to determine when $f'(x)$ is undefined to identify the critical numbers of $f(x)$, and to apply either the First Derivative Test or the Second Derivative Test to each of the critical numbers in order to identify which, if any, of the critical numbers correspond to relative maxima and which, if any, correspond to relative minima.

The computation of the derivative and solving $f'(x) = 0$ would qualify as performing all necessary calculations needed to apply the theorem. Students can show they correctly select the theorem necessary to solve stated problem by applying either the First Derivative Test or the Second Derivative Test. If students apply the theorem correctly, they will correctly identify where the maxima and minima are and thus demonstrate the third criterion of the rubric.

Good response:

$$f(x) = x^3 - 6x^2$$

$$f'(x) = 3x^2 - 12x$$

We see that $f'(x)$ is undefined nowhere and that $f'(x) = 0$ when

$$3x^2 - 12x = 0$$

$$3x(x - 4) = 0$$

$$x = 0 \text{ or } x = 4$$

Now, $f''(x) = 6x - 12$. Since $f''(0) = -12 < 0$, the Second Derivative Test tells us that $x = 0$ is the x -coordinate of a relative maximum of $f(x)$. Since $f''(4) = 12 > 0$, the Second Derivative Test tells us that $x = 4$ is the x -coordinate of a relative minimum of $f(x)$. So, the function $f(x) = x^3 - 6x^2$ has a relative maximum at $x = 0$ and a relative minimum at $x = 4$.

This student response correctly computes the derivative and finds all the critical number. So, the second trait of a good response has been met. The first trait, the correct selection of the theorem, is shown by the student correctly selecting the Second Derivative Test to use. Finally, the student applies the theorem correctly by plugging the critical numbers into the second derivative and makes the correct conclusions based on these computations. Thus, the third trait of the good response has been met.

Average response:

$$f(x) = x^3 - 6x^2$$

$$f'(x) = 3x^2 - 12x$$

We see that $f'(x)$ is undefined nowhere and that $f'(x) = 0$ when

$$3x^2 - 12x = 0$$

$$3x(x - 4) = 0$$

$$x = 0 \text{ or } x = 4$$

Now, $f''(x) = 6x - 12$. Since $f''(0) = -12 < 0$, the Second Derivative Test tells us that $x = 0$ is the x -coordinate of a relative minimum of $f(x)$. Since $f''(4) = 12 > 0$, the Second Derivative Test tells us that $x = 4$ is the x -coordinate of a relative maximum of $f(x)$. So, the function $f(x) = x^3 - 6x^2$ has a relative minimum at $x = 0$ and a relative maximum at $x = 4$.

This student response correctly computes the derivative and finds all the critical number. So, the second trait of a good response has been met. The first trait, the correct selection of the theorem, is shown by the student correctly selecting the Second Derivative Test to use. The student applies the theorem correctly by plugging the critical numbers into the second derivative; however, the student makes incorrect conclusions by saying the maximum is a minimum, and vice versa. Thus, the third trait of the good response has not been met.

Poor response:

$$f(x) = x^3 - 6x^2$$

$$f'(x) = 3x^2 - 12x$$

We see that $f'(x)$ is undefined nowhere and that $f'(x) = 0$ when

$$3x^2 - 12x = 0$$

$$3x(x - 4) = 0$$

$$x = 0 \text{ or } x = 4$$

Now, $f(0) = 0$ and $f(4) = -32$. So, $f(x)$ has a relative minimum at $x = 4$ and a relative maximum at $x = 0$.

This student has performed correct calculations when finding the derivative and the critical numbers. However, the student has not applied the appropriate theorem to arrive at a correct conclusion. In fact, this student has attempted to use the Extreme Value Theorem, which deals with the *absolute* maximum and *absolute* minimum of a function under certain conditions. This is a major conceptual error and thus warrants a rating of poor.